A population of periodic quasars from PTF as Supermassive Black Hole Binary Candidates

Maria Charisi

Columbia University
I. Bartos, Z. Haiman, A. M. Price-Whelan, M. J. Graham, E.
C. Belm, R. R. Laher, S. Marka


IAUS 324, Ljubljana, September 2016

Supermassive Black Hole Binaries (SMBHBs)




- SMBHBs at sub-pc separations should be common.
- Embedded in gasrich environments.
- Periodic variability of AGN could indicate binaries.
- Sources of lowfrequency gravitational waves.

Palomar Transient Factory (PTF)




PTF Light Curves




Quasar Sample



- QSOs in PTF
- QSOs Final Sample (50 nights)







- QSOs Half Million Catalog: ~425k
- QSOs in PTF: ~280k
- QSOs Final Sample: ~35k

Statistical Search

- Lomb-Scargle periodogram
- Quasar variability described as Damped Random Walk
- Analyzed each quasar individually
- Assigned significance simulating mock time series and taking into account all the trial factors
- Required 1.5 cycles within PTF baseline


QSOs with Significant Periodicity





Residence Time: time binary spends at specific orbital separation/period


Population of SMBHBs



- OJ 287 q~0.01 (Valtonen+2012)
- PG 1302 q<0.05
 (D'Orazio+2015)
- Mrk 231 q=0.026 (Yan+ 2015)
- **J0159+0105** 0.05<q<0.8 (Zheng 2016)
 - Merger trees at moderate redshift q<0.1

Unequal-mass binaries preferred!

Population of SMBHBs



<u>Unequal-mass</u> binaries preferred!

Summary

- Large statistical search for periodicity in 35k
 QSOs from PTF.
- 33 QSOs with significant periodicity (short periods and faint magnitudes).
- Milli-pc SMBHB candidates.
- Population of unequal-mass SMBHB.
- Charisi+2016, arXiv:1604.01020