

References

- [1] T. Ziegler *et al.*, “The improved ladder production for the Belle Silicon Vertex Detector (SVD2.1),” IEEE Trans. Nucl. Sci. **52** (2005) 1907.
- [2] M. Barbero *et al.*, “Development of a B-factory monolithic active pixel detector: The continuous-acquisition pixel prototypes,” IEEE Trans. Nucl. Sci. **52** (2005) 1187.
- [3] D. Liventsev *et al.*, “Measurement of the branching fractions for $B^- \rightarrow D^{(*)+} \pi^- l^- \bar{\nu}_l$ and $\bar{B}^0 \rightarrow D^{(*)0} \pi^+ l^- \bar{\nu}_l$,” Phys. Rev. D **72**, 051109 (2005).
- [4] K. Sumisawa *et al.*, “Measurement of time-dependent CP-violating asymmetries in $B^0 \rightarrow K_{(S)}^0 K_{(S)}^0 K_{(S)}^0$ decay,” Phys. Rev. Lett. **95**, 061801 (2005).
- [5] G. Majumder *et al.*, “Evidence for $B^0 \rightarrow D^+ D^-$ and observation of $B^- \rightarrow D^0 D^-$ and $B^- \rightarrow D^0 D^{*-}$ decays,” Phys. Rev. Lett. **95**, 041803 (2005).
- [6] Q. L. Xie *et al.*, “Observation of $B^- \rightarrow J/\psi \Lambda \bar{p}$ and searches for $B^- \rightarrow J/\psi \Sigma^0 \bar{p}$ and $B^0 \rightarrow J/\psi p \bar{p}$ decays,” Phys. Rev. D **72**, 051105 (2005).
- [7] T. Tsuboyama *et al.*, “The silicon vertex detector for the super B factory,” Nucl. Inst. Meth. **A541** 421 (2005).
- [8] G. Varner *et al.*, “Development of a super B-factory monolithic active pixel detector – the Continuous Acquisition Pixel (CAP) prototypes,” Nucl. Inst. Meth. **A541** 166 (2005).
- [9] R. Stamen *et al.*, “Status of the Belle Silicon Vertex Detector,” Nucl. Inst. Meth. **A541** 61 (2005).
- [10] X. C. Tian *et al.*, “Measurement of the wrong-sign decays $D^0 \rightarrow K^+ \pi^-$ ($\pi^0, \pi^+ \pi^-$) and search for CP violation,” Phys. Rev. Lett. **95** (2005) 231801.
- [11] U. Bitenc *et al.*, “Search for $D^0 - \bar{D}^0$ mixing using semileptonic decays at Belle,” Phys. Rev. D **72**, 071101 (2005).
- [12] K. Abe *et al.*, “Improved evidence for direct CP violation in $B^0 \rightarrow \pi^+ \pi^-$ decays and model-independent constraints on $\phi(2)$,” Phys. Rev. Lett. **95**, 101801 (2005).
- [13] K. Abe *et al.*, “Measurements of B decays to two kaons,” Phys. Rev. Lett. **95** (2005) 231802.
- [14] D. Mohapatra *et al.*, “Search for the $b \rightarrow d \gamma$ process,” Phys. Rev. D **72**, 011101 (2005).
- [15] I. Bizjak *et al.*, “Determination of $|V(\text{ub})|$ from measurements of the inclusive charmless semileptonic partial rates of B mesons using full reconstruction tags,” Phys. Rev. Lett. **95** (2005) 241801.

- [16] A. Limosani *et al.*, “Measurement $|V_{ub}|$ near the endpoint of the electron momentum spectrum from semileptonic B -meson decays,” Phys. Lett. B **621**, 28 (2005).
- [17] A. Drutskoy *et al.*, “Observation of $\bar{B}^0 \rightarrow D_s^* J(2317)^+ K^-$ decay,” Phys. Rev. Lett. **94**, 061802 (2005).
- [18] R. Itoh *et al.*, “Studies of CP violation in $B \rightarrow J/\psi K^*$ decays,” Phys. Rev. Lett. **95**, 091601 (2005).
- [19] K. F. Chen *et al.*, “Time-dependent CP-violating asymmetries in $b \rightarrow s\bar{q}q$ transitions,” Phys. Rev. D **72**, 012004 (2005).
- [20] M. Z. Wang *et al.*, “Study of the baryon antibaryon low-mass enhancements in charmless three-body baryonic B decays,” Phys. Lett. B **617**, 141 (2005).
- [21] Y. J. Lee *et al.*, “Observation of $B^+ \rightarrow p\bar{\Lambda}\gamma$,” Phys. Rev. Lett. **95**, 061802 (2005).
- [22] M. Iwasaki *et al.*, “Improved measurement of the electroweak penguin process $B \rightarrow X_s l^+ l^-$,” Phys. Rev. D **72**, 092005 (2005).
- [23] Y. Enari *et al.*, “Search for lepton flavor violating decays $\tau^- \rightarrow l^- \pi^0, l^- \eta, l^- \eta'$,” Phys. Lett. B **622**, 218 (2005).
- [24] L. M. Zhang *et al.*, “Search for $B^0 \rightarrow J/\psi \bar{D}^0$ and $B^+ \rightarrow J/\psi \bar{D}^0 \pi^+$ decays,” Phys. Rev. D **71**, 091107 (2005).
- [25] K. F. Chen *et al.*, “Measurement of polarization and triple-product correlations in $B \rightarrow \Phi K^*$ decays,” Phys. Rev. Lett. **94**, 221804 (2005).
- [26] Y. Ushiroda *et al.*, “Measurement of the Time-Dependent CP-Violating Asymmetry in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ Decays,” Phys. Rev. Lett. **94**, 231601 (2005).
- [27] C. C. Kuo *et al.*, “Measurement of $\gamma\gamma \rightarrow p\bar{p}$ production at Belle,” Phys. Lett. B **621**, 41 (2005).
- [28] K. Hayasaka *et al.*, “Search for $\tau \rightarrow e\gamma$ decay at Belle,” Phys. Lett. B **613**, 20 (2005).
- [29] H. Miyake *et al.*, “Branching fraction, polarization and CP-violating asymmetries in $B^0 \rightarrow D^{*+} D^{*-}$ decays,” Phys. Lett. B **618**, 34 (2005).
- [30] J. Schumann *et al.*, “Observation of $\bar{B}^0 \rightarrow D^0 \eta'$ and $\bar{B}^0 \rightarrow D^{*0} \eta'$,” Phys. Rev. D **72**, 011103 (2005).
- [31] R. Mizuk *et al.*, “Observation of an isotriplet of excited charmed baryons decaying to $\Lambda_c^+ \pi$,” Phys. Rev. Lett. **94**, 122002 (2005).
- [32] A. Garmash *et al.*, “Dalitz analysis of the three-body charmless decays $B^+ \rightarrow K^+ \pi^+ \pi^-$ and $B^+ \rightarrow K^+ K^+ K^-$,” Phys. Rev. D **71**, 092003 (2005).
- [33] H. Nakazawa *et al.*, “Measurement of the $\gamma\gamma \rightarrow \pi^+ \pi^-$ and $\gamma\gamma \rightarrow K^+ K^-$ processes at energies of 2.4r GeV - 4.1 GeV,” Phys. Lett. B **615**, 39 (2005).

- [34] P. Chang *et al.*, “Measurements of branching fractions and CP asymmetries in $B \rightarrow \eta h$ decays,” *Phys. Rev. D* **71**, 091106 (2005).
- [35] H. Yang *et al.*, “Observation of $B^+ \rightarrow K1(1270)^+\gamma$,” *Phys. Rev. Lett.* **94**, 111802 (2005).
- [36] M. Saigo *et al.*, “Study of the suppressed decays $B^- \rightarrow [K^+\pi^-]_D K^-$ and $B^- \rightarrow [K^+\pi^-]_D \pi^-$,” *Phys. Rev. Lett.* **94**, 091601 (2005).
- [37] T. Okabe *et al.*, “Spectra of prompt electrons from decays of B^+ and B^0 mesons and ratio of inclusive semielectronic branching fractions,” *Phys. Lett. B* **614**, 27 (2005).
- [38] S. Nishida *et al.*, “Observation of $B^+ \rightarrow K^+\eta\gamma$,” *Phys. Lett. B* **610**, 23 (2005).
- [39] K. Abe *et al.*, “Observation of the $D1(2420) \rightarrow D\pi^+\pi^-$ decays,” *Phys. Rev. Lett.* **94**, 221805 (2005).
- [40] T. Lesiak *et al.*, “Measurement of masses and branching ratios of Ξ_c^+ and Ξ_c^0 baryons,” *Phys. Lett. B* **605**, 237 (2005) [Erratum-ibid. *B* **617**, 198 (2005)].
- [41] S. Stanič *et al.*, “Radiation monitoring in MRad range using radiation-sensing field-effect transistors,” *Nucl. Inst. Meth.* **A545** 252 (2005).
- [42] M.-C. Chang *et al.*, “Search for $B^0 \rightarrow p\bar{p}$, $\Lambda\bar{\Lambda}$ and $B^+ \rightarrow p\bar{\Lambda}$ at Belle,” *Phys. Rev. D* **71**, 072007 (2005).
- [43] S.-K. Choi *et al.*, “Observation of a near-threshold $\omega J/\psi$ mass enhancement in exclusive $B \rightarrow K\omega J/\psi$ decays,” *Phys. Rev. Lett.* **94**, 182002 (2005).
- [44] J. Li *et al.*, “Search for $D^0\bar{D}^0$ mixing in $D^0 \rightarrow K^+\pi^-$ decays and measurement of the doubly-Cabibbo-suppressed decay rate,” *Phys. Rev. Lett.* **94**, 071801 (2005).
- [45] K. Abe *et al.*, “Improved measurement of CP-violation parameters $\sin(2\phi(1))$ and $|\lambda|$, B meson lifetimes, and $B^0\bar{B}^0$ mixing parameter $\Delta(m_d)$,” *Phys. Rev. D* **71**, 072003 (2005) [Erratum-ibid. *D* **71**, 079903 (2005)].
- [46] K. Abe *et al.*, “Time-dependent CP violation effects in partially reconstructed $B^0 \rightarrow D^{*\mp}\pi^\pm$ decays,” *Phys. Lett. B* **624**, 11 (2005).
- [47] K. Abe *et al.*, “Measurements of Branching Fractions and Polarization in $B \rightarrow \rho^+ K^{*0}$ decays,” *Phys. Rev. Lett.* **95**, 141801 (2005).
- [48] K. Abe *et al.*, “Observation of $B^0 \rightarrow \pi^0\pi^0$,” *Phys. Rev. Lett.* **94**, 181803 (2005).
- [49] C. C. Wang *et al.*, “Study of $B^0 \rightarrow \rho^\pm\pi^\mp$ time-dependent CP violation at Belle,” *Phys. Rev. Lett.* **94**, 121801 (2005).
- [50] Y. Chao *et al.*, “Improved measurements of partial rate asymmetry in $B \rightarrow hh$ decays,” *Phys. Rev. D* **71**, 031502 (2005).
- [51] J. Zhang *et al.*, “Measurement of branching fraction and CP asymmetry in $B^+ \rightarrow \rho^+\pi^0$,” *Phys. Rev. Lett.* **94**, 031801 (2005).