

# Samo Stanič, scientific papers in 2007

## References

- [1] T. Mori *et al.*, “High Statistics Measurement of the Cross Sections of  $\gamma\gamma \rightarrow \pi^+\pi^-$  Production,” J. Phys. Soc. Jpn. **76** (2007) 074102.
- [2] T. Tsuboyama *et al.*, “Silicon vertex detector for the KEK Super B factory,” Nucl. Instrum. Meth. A **572** (2007) 321.
- [3] S. Stanič *et al.*, “Recent progress in the development of a monolithic active pixel detector for a B factory,” Nucl. Inst. Meth. A **579** (2007) 680.
- [4] O. Tajima *et al.*, “Search for the CP-violating decays  $\Upsilon(4S)^0 \bar{B}^0 J/K_S^0 + J/\psi(\eta_c) K_S^0$ ,” Phys. Rev. Lett. **99** (2007) 211601.
- [5] X. L. Wang *et al.*, “Observation of Two Resonant Structures in  $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$  via Initial State Radiation at Belle,” Phys. Rev. Lett. **99** (2007) 142002.
- [6] A. Drutskoy *et al.*, “Measurements of exclusive  $B_s^0$  decays at the  $\Upsilon(5S)$  resonance,” Phys. Rev. D **76** (2007) 012002.
- [7] K. F. Chen *et al.*, “Search for  $B \rightarrow h^{(*)}\nu\bar{\nu}$  Decays at Belle,” Phys. Rev. Lett. **99** (2007) 221802.
- [8] A. Matyja *et al.*, “Observation of  $B^0 \rightarrow D^{*-}\tau^+\nu_\tau$  decay at Belle,” Phys. Rev. Lett. **99** (2007) 191807.
- [9] D. Epifanov *et al.*, “Study of  $\tau^- \rightarrow K_S\pi^-\nu_\tau$  decay at Belle,” Phys. Lett. B **654** (2007) 65.
- [10] J. Dalseno *et al.*, “Measurement of Branching Fraction and Time-Dependent CP Asymmetry Parameters in  $B^0 \rightarrow D^{*+}D^{*-}K_S$  Decays,” Phys. Rev. D **76** (2007) 072004.
- [11] T. Medvedeva *et al.*, “Observation of the decay  $\bar{B}^0 \rightarrow D_s^+\Lambda\bar{p}$ ,” Phys. Rev. D **76** (2007) 051102.
- [12] K. Abe *et al.*, “Measurement of  $D^0 - \bar{D}^0$  mixing in  $D^0 \rightarrow K_S\pi^+\pi^-$  decays,” Phys. Rev. Lett. **99** (2007) 131803.
- [13] A. Zupanc *et al.*, “Improved measurement of  $b\bar{b} \rightarrow D_s^-D^+$  and search for  $b \rightarrow dsds$  at Belle,” Phys. Rev. D **75** (2007) 091102.
- [14] M. Starič *et al.*, “Evidence for  $D^0 - \bar{D}^0$  Mixing,” Phys. Rev. Lett. **98** (2007) 211803.
- [15] Y. Miyazaki *et al.*, “Search for lepton flavor violating  $\tau^-$  decays into  $l^-\eta, l^-\eta'$  and  $l^-\pi^0$ ,” Phys. Lett. B **648** (2007) 341.
- [16] A. Go *et al.*, “Measurement Of EPR-Type Flavour Entanglement In  $\Upsilon(4S) \rightarrow B^0\bar{B}^0$  Decays,” Phys. Rev. Lett. **99** (2007) 131802.

- [17] S. Fratina *et al.*, “Evidence for CP violation in  $B^0 \rightarrow D^+D^-$  decays,” Phys. Rev. Lett. **98** (2007) 221802.
- [18] K. Abe *et al.*, “Improved measurement of CP-violating parameters in  $\rho^+\rho^-$  decays,” Phys. Rev. D **76** (2007) 011104.
- [19] C. H. Wang *et al.*, “Measurement of charmless  $B$  Decays to  $\eta K^*$  and  $\eta\rho$ ,” Phys. Rev. D **75** (2007) 092005.
- [20] J. Schumann *et al.*, “Search for  $B$  decays into  $\eta'p$ ,  $\eta'K^*$ ,  $\eta'\phi$ ,  $\eta'\omega$  and  $\eta'\eta'$ ,” Phys. Rev. D **75** (2007) 092002.
- [21] A. Kusaka *et al.*, “Measurement of CP asymmetry in a time-dependent Dalitz analysis of  $B^0 \rightarrow \rho\pi^0$  and a constraint on the CKM angle  $\phi(2)$ ,” Phys. Rev. Lett. **98** (2007) 221602.
- [22] N. Satoyama *et al.*, “A search for the rare leptonic decays  $B^+ \rightarrow \mu^+\nu$  and  $B^+ \rightarrow e^+\nu$ ,” Phys. Lett. B **647** (2007) 67.
- [23] C. Schwanda *et al.*, “Moments of the hadronic invariant mass spectrum in  $B \rightarrow X_c l\nu$  decays at Belle,” Phys. Rev. D **75** (2007) 032005.
- [24] O. Tajima *et al.*, “Search for invisible decay of the  $\Upsilon(1S)$ ,” Phys. Rev. Lett. **98** (2007) 132001.
- [25] A. Sokolov *et al.*, “Observation of the decay  $\Upsilon(4S) \rightarrow \Upsilon(1S)\pi^+\pi^-$ ,” Phys. Rev. D **75** (2007) 071103.
- [26] Q. L. Xie *et al.*, “Search for  $B^+ \rightarrow J/\psi\eta'K^+$  and  $B^0 \rightarrow J/\psi\eta'K_S^0$  decays,” Phys. Rev. D **75** (2007) 017101.
- [27] A. Garmash *et al.*, “Dalitz analysis of three-body charmless  $B^0 \rightarrow K^0\pi^+\pi^-$  decay,” Phys. Rev. D **75** (2007) 012006.
- [28] T. Mori *et al.*, “High statistics study of  $f_0(980)$  resonance in  $\gamma\gamma \rightarrow \pi^+\pi^-$  production,” Phys. Rev. D **75** (2007) 051101.
- [29] P. Urquijo *et al.*, “Moments of the electron energy spectrum and partial branching fraction of  $B \rightarrow X_c e\nu$  decays at Belle detector,” Phys. Rev. D **75** (2007) 032001.
- [30] M. C. Chang *et al.*, “Observation of the decay  $B^0 \rightarrow J/\psi\eta$ ,” Phys. Rev. Lett. **98** (2007) 131803.
- [31] W. T. Chen *et al.*, “A study of  $\gamma\gamma \rightarrow K_S^0 K_S^0$  production at energies of 2.4-4.0 GeV at Belle,” Phys. Lett. B **651** (2007) 15.
- [32] K. Abe *et al.*, “Measurements of branching fractions for  $B \rightarrow K\pi$  and  $B \rightarrow \pi\pi$  decays with 449 million  $B$  anti- $B$  pairs,” Phys. Rev. Lett. **99** (2007) 121601.
- [33] K. Abe *et al.*, “Measurements of time-dependent CP violation in  $B^0 \rightarrow \omega K_S^0$ ,  $f_0(980)K_S^0$ ,  $K_S^0\pi^0$  and  $K^+K^-K_S^0$  decays,” Phys. Rev. D **76** (2007) 091103.

- [34] S.-W. Lin *et al.*, “Observation of B decays to two kaons,” Phys. Rev. Lett. **98** (2007) 181804.
- [35] K. Belous *et al.*, “Measurement of the mass of the  $\tau$ -lepton and an upper limit on the mass difference between  $\tau^+$  and  $\tau^-$ ,” Phys. Rev. Lett. **99** (2007) 011801.
- [36] R. Mizuk *et al.*, “Experimental constraints on the possible J(P) quantum numbers of the  $\Lambda_c(2880)^+$ ,” Phys. Rev. Lett. **98** (2007) 262001.
- [37] K. F. Chen *et al.*, “Observation of time-dependent CP violation in  $B^0 \rightarrow \eta' K^0$  decays and improved measurements of CP asymmetries in  $B^0 \rightarrow \Phi K^0$ ,  $K_S^0 K_S^0 K_S^0$  and  $B^0 \rightarrow J/\psi K^0$  decays,” Phys. Rev. Lett. **98** (2007) 031802.
- [38] H. Ishino *et al.*, “Observation of Direct CP-Violation in  $B^0 \rightarrow \pi^+ \pi^-$  Decays and Model-Independent Constraints on  $\phi_2$ ,” Phys. Rev. Lett. **98** (2007) 211801.
- [39] P. Chang *et al.*, “Improved measurements of branching fractions and CP asymmetries in  $B \rightarrow \eta h$  decays,” Phys. Rev. D **75** (2007) 071104.
- [40] K. S. Park *et al.*, “Study of the charmed baryonic decays  $\bar{B}^0 \rightarrow \Sigma_c^{++} \bar{p} \pi^-$  and  $\bar{B}^0 \rightarrow \Sigma_c^0 \bar{p} \pi^+$ ,” Phys. Rev. D **75** (2007) 011101.
- [41] G. Pakhlova *et al.*, “Measurement of the near-threshold  $e^+ e^- \rightarrow D^{(*)\pm} D^{*\mp}$  cross section using initial-state radiation,” Phys. Rev. Lett. **98** (2007) 092001.
- [42] A. Drutskoy *et al.*, “Measurement of inclusive  $D_s$ ,  $D^0$  and  $J/\psi$  rates and determination of the  $B_s^* \bar{B}_s^*$  production fraction in  $b\bar{b}$  events at the  $\Upsilon(5S)$  resonance,” Phys. Rev. Lett. **98** (2007) 052001.
- [43] T. Hokuue *et al.*, “Measurements of branching fractions and  $q^2$  distributions for  $B \rightarrow \pi l \nu$  and  $B \rightarrow \rho l \nu$  decays with  $B \rightarrow D^* l \nu$  decay tagging,” Phys. Lett. B **648** (2007) 139.
- [44] K. Abe *et al.*, “Observation of a new charmonium state in double charmonium production in  $e^+ e^-$  annihilation at  $\sqrt{s} \approx 10.6$  GeV,” Phys. Rev. Lett. **98** (2007) 082001.