

References

- [1] S. Uehara *et al.*, “High-statistics measurement of neutral-pion pair production in two-photon collisions,” *Phys. Rev. D* **78** (2008) 052004.
- [2] H. O. Kim *et al.*, “Study of intermediate two-body decays in $\bar{B}^0 \rightarrow \Sigma_c(2455)^0 \bar{p} \pi^+$,” *Phys. Lett. B* **669** (2008) 287.
- [3] C. C. Chiang *et al.*, “Measurement of $B^0 \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ Decays and Search for $B^0 \rightarrow \rho^0 \rho^0$,” *Phys. Rev. D* **78** (2008) 111102.
- [4] G. Pakhlova *et al.*, “Observation of a near-threshold enhancement in the $e^+ e^- \rightarrow \Lambda_c^+ \Lambda_c^-$ cross section using initial-state radiation,” *Phys. Rev. Lett.* **101** (2008) 172001.
- [5] P. Goldenzweig *et al.*, “Evidence for Neutral B Meson Decays to ωK^{*0} ,” *Phys. Rev. Lett.* **101** (2008) 231801.
- [6] V. Bhardwaj *et al.*, “Observation of $B^\pm \rightarrow \psi(2S) \pi^\pm$ and search for direct CP-violation,” *Phys. Rev. D* **78** (2008) 051104.
- [7] M. Starič *et al.*, “Measurement of CP asymmetry in Cabibbo suppressed D^0 decays,” *Phys. Lett. B* **670** (2008) 190.
- [8] R. Mizuk *et al.*, “Observation of two resonance-like structures in the $\pi^+ \chi_{c1}$ mass distribution in exclusive $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}$ decays,” *Phys. Rev. D* **78** (2008) 072004.
- [9] J. Li *et al.*, “Time-dependent CP Asymmetries in $B^0 \rightarrow K_S^0 \rho^0 \gamma$ Decays,” *Phys. Rev. Lett.* **101** (2008) 251601.
- [10] M. Fujikawa *et al.*, “High-Statistics Study of the $\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$ Decay,” *Phys. Rev. D* **78** (2008) 072006.
- [11] Y. Liu *et al.*, “Search for $B^0 \rightarrow J/\psi \phi$,” *Phys. Rev. D* **78**, 011106 (2008).
- [12] R. Seidl *et al.*, “Measurement of Azimuthal Asymmetries in Inclusive Production of Hadron Pairs in $e^+ e^-$ Annihilation at $\sqrt{s} = 10.58$ GeV,” *Phys. Rev. D* **78**, 032011 (2008).
- [13] N. Taniguchi *et al.*, “Measurement of branching fractions, isospin and CP-violating asymmetries for exclusive $b \rightarrow d \gamma$ modes,” *Phys. Rev. Lett.* **101** (2008) 111801. [Erratum-*ibid.* **101** (2008) 129904]
- [14] J. T. Wei *et al.*, “Search for $B \rightarrow \pi l^+ l^-$ Decays at Belle,” *Phys. Rev. D* **78**, 011101 (2008).
- [15] Y. Horii *et al.*, “Study of the Suppressed B meson Decay $B^- \rightarrow DK^-$, $D \rightarrow K^+ \pi^-$,” *Phys. Rev. D* **78** (2008) 071901.

- [16] M. Iwabuchi *et al.*, “Search for $B^+ \rightarrow D^{*+}\pi^0$ decay,” Phys. Rev. Lett. **101**, 041601 (2008).
- [17] C. Schwanda *et al.*, “Measurement of the Moments of the Photon Energy Spectrum in $B \rightarrow \Xi_s\gamma$ Decays and Determination of $|V_{cb}|$ and m_b at Belle,” Phys. Rev. D **78**, 032016 (2008).
- [18] T. Lesiak *et al.*, “Measurement of masses of the $\Xi_c(2645)$ and $\Xi_c(2815)$ baryons and observation of $\Xi_c(2980) \rightarrow \Xi_c(2645)\pi$,” Phys. Lett. B **665**, 9 (2008).
- [19] U. Bitenc *et al.*, “Improved search for D^0 mixing using semileptonic decays at Belle,” Phys. Rev. D **77**, 112003 (2008).
- [20] J. H. Chen *et al.*, “Observation of $B^0 \rightarrow p\bar{p}K^{*0}$ with a large K^{*0} polarization,” Phys. Rev. Lett. **100**, 251801 (2008).
- [21] Y. Nishio *et al.*, “Search for lepton-flavor-violating $\tau \rightarrow ellV^0$ decays at Belle,” Phys. Lett. B **664** (2008) 35.
- [22] Y. Nakahama *et al.*, “Measurement of Time-Dependent CP-Violating Parameters in $B^0 \rightarrow K_S^0 K_S^0$ decays,” Phys. Rev. Lett. **100** (2008) 121601.
- [23] J. Wicht *et al.*, “Observation of $B_s \rightarrow \phi\gamma$ and Search for $B_s \rightarrow \gamma\gamma$ Decays at Belle,” Phys. Rev. Lett. **100** (2008) 121801.
- [24] D. Liventsev *et al.*, “Study of $B \rightarrow D^{**}l\nu$ with full reconstruction tagging,” Phys. Rev. D **77**, 091503 (2008).
- [25] Y. Miyazaki *et al.*, “Search for Lepton Flavor Violating tau Decays into Three Leptons,” Phys. Lett. B **660**, 154 (2008).
- [26] A. Kusaka *et al.*, “Measurement of CP Asymmetries and Branching Fractions in a Time-Dependent Dalitz Analysis of $B^0 \rightarrow \rho\pi^0$ and a Constraint on the Quark Mixing Angle ϕ_2 ,” Phys. Rev. D **77**, 072001 (2008).
- [27] K. F. Chen *et al.*, “Observation of anomalous $\Upsilon(1S)\pi^+\pi^-$ and $\Upsilon(2S)\pi^+\pi^-$ production near the $\Upsilon(5S)$ resonance,” Phys. Rev. Lett. **100**, 112001 (2008).
- [28] S.-W. Lin *et al.*, “Difference in direct charge-parity violation between charged and neutral B meson decays,” Nature Vol. **452** (2008).
- [29] V. Balagura *et al.*, “Observation of $D_{s1}^+(2536) \rightarrow D^+\pi^-K^+$ and angular decomposition of $D_{s1}^+(2536) \rightarrow D^{*+}K_S^0$,” Phys. Rev. D **77** (2008) 032001.
- [30] Y. Ushiroda *et al.*, “Time-Dependent CP-Violating Asymmetry in $B^0 \rightarrow \rho^0\gamma$ Decays,” Phys. Rev. Lett. **100**, 021602 (2008).
- [31] C. Z. Yuan *et al.*, “Observation of $e^+e^- \rightarrow K^+K^-J/\psi$ via Initial State Radiation at Belle,” Phys. Rev. D **77** (2008) 011105.

- [32] K. Abe *et al.*, “Measurement of $\text{Br}(D_s \rightarrow \mu\nu)$,” Phys. Rev. Lett. **100**, 241801 (2008).
- [33] P. Pakhlov *et al.*, “Production of new charmoniumlike states in $e^+e^- \rightarrow J/\psi D^{(*)}\bar{D}^{(*)}$ at $\sqrt{s} \approx 10.6$ GeV,” Phys. Rev. Lett. **100**, 202001 (2008).
- [34] G. Pakhlova *et al.*, “Observation of $\psi(4415) \rightarrow D\bar{D}_2^*(2460)$ decay using initial-state radiation,” Phys. Rev. Lett. **100** (2008) 062001.
- [35] H. Sahoo *et al.*, “Measurements of time-dependent CP violation in $B^0 \rightarrow \psi(2S)K_S$ decays,” Phys. Rev. D **77**, 091103 (2008).
- [36] K. Abe *et al.*, “Observation of a resonance-like structure in the $\pi^\pm\psi'$ mass distribution in exclusive $B \rightarrow K\pi^\pm\psi'$ decays,” Phys. Rev. Lett. **100** (2008) 142001.
- [37] K. Abe *et al.*, “Search for $\bar{B}^0 \rightarrow \Lambda_c^+\Lambda_c^-$ decay at Belle,” Phys. Rev. D **77** (2008) 051101.
- [38] S. E. Lee *et al.*, “Improved measurement of time-dependent CP violation in $B^0 \rightarrow J/\psi\pi^0$ decays,” Phys. Rev. D **77**, 071101 (2008).
- [39] G. Pakhlova *et al.*, “Measurement of the near-threshold $e^+e^- \rightarrow D\bar{D}$ cross section using initial-state radiation,” Phys. Rev. D **77** (2008) 011103.
- [40] J. Brodzicka *et al.*, “Observation of a new D_{sJ} meson in $B^+ \rightarrow \bar{D}^0 D^0 K^+$ decays,” Phys. Rev. Lett. **100** (2008) 092001.
- [41] J. T. Wei *et al.*, “Study of the decay mechanism for $B^+ \rightarrow p\bar{p}K^+$ and $B^+ \rightarrow p\bar{p}\pi^+$,” Phys. Lett. B **659** (2008) 80.
- [42] S. Uehara *et al.*, “Study of charmonia in four-meson final states produced in two-photon collisions,” Eur. Phys. J. C **53** (2008) 1.
- [43] K. Hayasaka *et al.*, “New search for $\tau \rightarrow \mu\gamma$ and $\tau \rightarrow e\gamma$ decays at Belle,” Phys. Lett. B **666**, 16 (2008).
- [44] K. Abe *et al.*, “Measurement of the ratio $\text{Br}(D^0 \rightarrow \pi^+\pi^-\pi^0)/\text{Br}(D^0 \rightarrow K^-\pi^+\pi^0)$,” Phys. Lett. B **662** (2008) 102.
- [45] K. Abe *et al.*, “Search for resonant $B^\pm \rightarrow K^\pm h \rightarrow K^\pm\gamma\gamma$ decays at Belle,” Phys. Lett. B **662** (2008) 323.